



# भारत का राजपत्र

## The Gazette of India

असाधारण

EXTRAORDINARY

भाग III—खण्ड 4  
PART III—Section 4

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 115]  
No. 115]नई दिल्ली, मंगलवार, जुलाई 7, 2009/आषाढ़ 16, 1931  
NEW DELHI, TUESDAY, JULY 7, 2009/ASADHA 16, 1931

ऊर्जा दक्षता ब्यूरो

अधिसूचना

नई दिल्ली, 6 जुलाई, 2009

सं. 2/11(5)/03-बी.ई.ई. 4.—ऊर्जा संरक्षण अधिनियम, 2001 (2001 का 12) की उपधारा (1) के अधीन अपेक्षित किए गए अनुसार, ऊर्जा दक्षता ब्यूरो (घरेलू फ्रास्ट फ्री प्रशीतकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियाँ और रीति) विनियम, 2009 नामक प्रारूप विनियमों को, भारत के राजपत्र असाधारण भाग III, खण्ड 4, तारीख 12 जनवरी, 2009 में अधिसूचना सं. 2/11(5)/03-बीई-4, तारीख 12 जनवरी, 2009 द्वारा प्रकाशित किया गया था जिसमें ऐसे व्यक्तियों से जिनके उससे प्रभावित होने की संभावना थी, उक्त अधिसूचना के राजपत्र में प्रकाशन की तारीख से पैतालीस दिन की विनिर्दिष्ट अवधि के भीतर आक्षेप और सुझाव आमंत्रित किए गए थे;

और उक्त प्रारूप विनियमों की प्रतियाँ जनता को 12 जनवरी, 2009 को उपलब्ध करा दी गई थीं;

और पूर्वोक्त विनिर्दिष्ट अवधि के भीतर उक्त प्रारूप विनियमों के सम्बन्ध में सुझाव प्राप्त हुए हैं;

और इस सम्बन्ध में प्राप्त सुझावों पर विचार कर लिया गया है;

अतः अब ब्यूरो, उक्त अधिनियम की धारा 14 के खण्ड (घ) के साथ पठित, धारा 58 की उपधारा (2) के खण्ड (झ) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार के पूर्व अनुमोदन से, निम्नलिखित विनियम बनाता है, अर्थात् :-

1. संक्षिप्त नाम और प्रारंभ – (1) इन विनियमों का संक्षिप्त नाम ऊर्जा दक्षता ब्यूरो (घरेलू फ्रास्ट फ्री प्रशीतकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 है।

(2) ये राजपत्र में उनके प्रकाशन की तारीख को प्रवृत्त होंगे।

2. परिमाणाएं – (1) इन विनियमों में, जब तक कि संदर्भ से अन्यथा अपेक्षित न हो,—

(क) “अधिनियम” से ऊर्जा संरक्षण अधिनियम, 2001 अभिप्रेत है।

(ख) “लेबल” से कोई लिखित, मुद्रित, चिह्नित, मुद्रांकित या चित्रित विषय अभिप्रेत है जो घरेलू फ्रास्ट फ्री प्रशीतक पर चिपकाया गया है या प्रकट है;

(ग) “मॉडल” किसी विशेष ब्रान्ड की मॉडल शृंखला, जिस पर एक ही परीक्षण रिपोर्ट लागू होती है और जहां पर प्रत्येक मॉडल की भौतिक विशेषताएं, तुलनात्मक ऊर्जा खपत, ऊर्जा दक्षता रेटिंग तथा निष्पादन अभिलक्षण एक ही होते हैं और उसमें “मॉडल परिवार” सम्मिलित है, अभिप्रेत है;

(घ) “मिन मॉडल” से अभिप्रेत है, किसी मॉडल का जिसके बिक्री विनिर्देश, मॉडल संख्या और नाम वही है जो किसी और मॉडल के हैं और इसका निष्पादन स्तर भी वही है सिवाय इसके कि इसकी प्रक्षिप्त वार्षिक ऊर्जा खपत भिन्न है और इसीलिए इसका सितारा रेटिंग भिन्न हो सकती है।

(ङ) “घरेलू फ्रास्ट फ्री प्रशीतक” से अभिप्रेत है, ऐसा प्रशीतक, जिसमें फ्रास्ट फ्री प्रणाली हो और जिसमें शीतलन प्राणोदित वायु संचरण विधि द्वारा किया जाता है और वाष्पक स्वचालित डिफ्रास्ट प्रणाली द्वारा होते हैं इसके अभिलक्षण भारतीय मानक 15750:2006 के खण्ड 3.1, 3.1.1, 3.1.2, 3.1.2.1, 3.1.2.2, 3.1.3 एवं 3.1.5 में निर्दिष्ट हैं।

(च) “सितारा रेटिंग या सितारा स्तर” से घरेलू फ्रास्ट फ्री प्रशीतक की ऊर्जा दक्षता को अंकित करने के लिए ऊर्जा खपत पर आधारित घरेलू फ्रास्ट फ्री प्रशीतक के लेबल पर संप्रदर्शित ऊर्जा दक्षता की श्रेणी अभिप्रेत है।

(2) उन शब्दों और पदों के, जो इसमें प्रयुक्त हैं और परिभाषित नहीं हैं किन्तु अधिनियम में परिभाषित हैं, वही अर्थ हैं जो अधिनियम में हैं।

3. लेबल पर संप्रदर्शित की जाने वाली विशिष्टियां – (1) प्रत्येक घरेलू फ्रास्ट फ्री प्रशीतक लेबल पर निम्नलिखित विशिष्टियां संप्रदर्शित की जाएगी, अर्थात्–

- (i) ऊर्जा दक्षता ब्यूरो का लोगो;
- (ii) विनिर्माता या आयातकर्ता का नाम और ब्रांड;
- (iii) सकल आयतन;
- (iv) भंडारण आयतन;
- (v) मॉडल तथा विनिर्माण या आयात का वर्ष;
- (vi) प्राधिकार संख्या;
- (vii) ऊर्जा खपत यूनिट प्रति वर्ष में;
- (viii) घरेलू फ्रास्ट फ्री प्रशीतक का सितारा स्तर।

(2) डिजाइन, रंग, आकार और लेबल की अंतर्वस्तु वह होगी जो इन विनियमों से उपाबद्ध अनुसूची में विनिर्दिष्ट है।

4. लेबलों को प्रदर्शित करने की समय-सीमा – विनियम 3 में विनिर्दिष्ट विशिष्टियों वाले लेबल को इन विनियमों के प्रवर्तन में आने की तारीख से छह मास की अवधि के भीतर, प्रत्येक घरेलू फ्रास्ट फ्री प्रशीतक पर प्रदर्शित किया जाएगा।

5. लेबल के संप्रदर्शन की रीति – (1) प्रत्येक घरेलू फ्रास्ट फ्री प्रशीतक के लेबल पर पैमाना बिन्दु पर विक्रय के समय संप्रदर्शित किया जाएगा और ऐसा लेबल उस पर संप्रदर्शफ्रंट पर लटकते हुए टैग के रूप में चिपकाया या संलग्न किया जाएगा।

(2) जो यूनिटें संप्रदर्शन नहीं कर रही हैं, वहां लेबल मंजूषा के बाहरी भाग पर संलग्न किया जा सकेगा और यूनिट में तभी लेबल संलग्न किया जा सकेगा जब उसकी पैकिंग से यूनिट हटा दी गई हो या लेबल को उपभोक्ता या उपभोक्ता को दिए गए दस्तावेजों के भाग के रूप में सम्मिलित किया गया हो।


## अनुसूची

(विनियम 3 (2) देखिए)


घरेलू प्रारंभ के प्रश्नों पर उनके संप्रदर्शन की विशिष्टियों के बारे —

(1) लेबल डिजाइन (अभिकल्प), आकार, रंग योजना और लेबल की अंतर्वस्तु में निम्नलिखित सम्मिलित होगा —

(i) लेबल का विभिन्न अभिकल्प निम्न प्रकार होगा, अर्थात् —



(ii) लेबल की रंग-योजना इस प्रकार होगी, अर्थात्—



237961/09-2

(iii) ब्यूरो के लोगो (प्रतीक चिह्न) की रंग योजना इस प्रकार होगी, अर्थात्—

### नीला

रंगत (H): 239° संतृप्ति (S): 64%, चमकीलापन (B): 59%

ज्योतिर्मयता अथवा हल्कापन (L): 28 रंग संबंधी घटक a:24 b:54

लाल (R): 54 हरा (G): 55 नीला (B): 151

सायन (C): 97% मेजेन्टा (M): 95% पीला (Y): 6% काला (K): 1%

वेब रंग कोड —#363797

### हरा

रंगत (H): 150° संतृप्ति (S): 10%, चमकीलापन (B): 67%


ज्योतिर्मयता अथवा हल्कापन (L): 61 रंग संबंधी घटक a:53 b:32

लाल (R): 0 हरा (G): 170 नीला (B): 87

सायन (C): 81% मेजेन्टा (M): 10% पीला (Y): 90% काला (K): 1%

वेब रंग कोड —#00AA56

(iv) घरेलू फ्रास्ट फ्री प्रशीतक के मुद्रित लेबल के लिए पूरा नमूना निम्न है, अर्थात्—



(2) लेबल की सामग्री टिकाऊ गते की होनी चाहिए, यदि इसे झूलने वाले टैग की तरह लगाना है अथवा चिपकाना है।

अजय माथुर, महानिदेशक

[ विज्ञापन-III/4/185/09-असा. ]

## THE BUREAU OF ENERGY EFFICIENCY NOTIFICATION

New Delhi, the 6th July, 2009

**No. 2/11(5)/03-BEE. 4.**—Whereas the draft regulations namely, the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Household Frost Free Refrigerators) Regulations, 2009, were published *vide* notification number 2/11(5)/03-BEE.-4, dated 12<sup>th</sup> January, 2009, in the Gazette of India, Extraordinary, Part III, Section 4, dated the 12<sup>th</sup> January, 2009, as required under sub-section (1) of section 58 of the Energy Conservation Act, 2001 (52 of 2001), inviting objections or suggestions from persons likely to be affected thereby within the specified period of forty-five days from the date of publication of the said notification in the Official Gazette;

And whereas copies of the said draft regulations were made available to the public on the 12<sup>th</sup> January, 2009;

And whereas suggestions have been received with respect to the said draft regulations within the specified period aforesaid;

And whereas the suggestions received in this regard have been taken into consideration;

Now, therefore, in exercise of the powers conferred by clause (i) of sub-section (2) of section 58 read with clause (d) of section 14 of the said Act, the Bureau, with the previous approval of the Central Government, hereby makes the following regulations, namely:-

1. Short title and commencement. - (1) These regulations may be called the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Household Frost Free Refrigerators) Regulations, 2009.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. Definition. —(1) In these regulations, unless the context otherwise requires,-

- (a) "Act" means the Energy Conservation Act, 2001;
- (b) "label" means any written, printed, marked, stamped or graphic matter affixed to, or appearing upon, household frost free refrigerator;
- (c) "models" mean the range of models of one particular brand to which a single set of test reports is applicable and where each of the models has the same physical characteristics, comparative energy consumption, energy efficiency rating and performance characteristics and includes family of models;
- (d) "Model variant" means a model which has the same sales specification, model number and designation as another model, and offers the same level of performance except that it has different projected annual energy consumption and may have a different star rating;
- (e) "household frost free refrigerators" mean refrigerators with frost free system in which cooling is provided by forced air circulation and the evaporators are defrosted by an automatic defrosting system and shall include the systems and characteristics specified in clauses 3.1.3.1.1, 3.1.2, 3.1.2.1, 3.1.2.2, 3.1.3 and 3.1.5 of IS 15750:2006;
- (f) "star rating or star level" means the grade of energy efficiency displayed on the label of household frost free refrigerator on the basis of comparative energy consumption with reference to fixed volume.

(2) Words and expressions used herein and not defined, but defined in the Act, shall have meanings respectively assigned to them in the Act.

3. Particulars to be displayed on the label.—(1) On every household frost free refrigerator, the following particulars shall be displayed, namely:-

- (i.) the logo of the Bureau of Energy Efficiency;
- (ii.) name of manufacturer or importer and brand;
- (iii.) gross volume;
- (iv.) storage volume;
- (v.) model and year of manufacturing or import;
- (vi.) authority number;
- (vii.) electricity consumption in units per year ;
- (viii.) star level of household frost free refrigerator.

(2) The design, colour, size and content of label shall be as specified in the Schedule annexed to these regulations.

4. Time limit for display of labels.—A label containing particulars specified in regulation 3 shall be displayed on every household frost free refrigerator within a period of six months from the date of coming into force of these regulations.

5. Manner of display of label.—(1) Every household frost free refrigerator shall display label at the time of sale and such label shall be either adhered to, or attached as a swing tag, on it.


(2) For units not on display, the label may be attached to the exterior of the casing and the label may be attached to the unit when the unit is removed from its packaging or the label may be included as a part of the documentation given to the customer or user.

**Schedule**  
**[See regulation 3(2)]**

**Details of particulars to be displayed on labels of household frost free refrigerators.**


(1.) Label design, size, colour scheme and content of the label shall include -

(i) the following dimensional design of label ,namely:-



2379 GI/09-3

(ii.) The following colour scheme for the label, namely:-



(iii) the following colour scheme for Bureau's logo, namely:-

#### BLUE -c

Hue(H)-239° Saturation(S):64% Brightness(B):59%

Luminance or lightness(L) :28, chromatic components -a:24 b:54

Red(R):54 Green(G):55 Blue(B):151

Cyan(C):97% Magenta(M):95% Yellow(Y):6% Black(K):1%

Web colour code - #363797

#### GREEN -

Hue(H)-150° Saturation(S):10% Brightness(B):67%


Luminance or lightness(L) :61, chromatic components -a:-53 b:32

Red(R):0 Green(G):170 Blue(B):87

Cyan(C):81% Magenta(M):10% Yellow(Y):90% Black(K):1%

Web colour code - #00AA56;

(iv) the following complete specimen of a printed label for household frost free refrigerator, namely:-



\*Under test conditions, when tested in accordance with relevant standards.  
Actual electricity consumption will depend on how the appliance is being used.

(2) Material of the label shall be of durable cardboard if it is to be attached as a swing tag or be self-adhesive.

AJAY MATHUR, Director General  
[ADVT.-III/4/185/09-Exty.]